

Semantic Web: Who is who in the field – A bibliometric analysis

Ying Ding¹

School of Library and Information Science, Indiana University Bloomington, IN, USA

Abstract

The Semantic Web is one of the main efforts aiming to enhance human and machine interaction by representing data in an understandable way for machines to mediate data and services. It is a fast-moving and multidisciplinary field. This study conducts a thorough bibliometric analysis of the field by collecting data from Web of Science (WOS) and Scopus for the period of 1960-2009. It utilizes a total of 44,157 papers with 651,673 citations from Scopus, and 22,951 papers with 571,911 citations from WOS. Based on these papers and citations, it evaluates the research performance of the Semantic Web (SW) by identifying the most productive players, major scholarly communication media, highly cited authors, influential papers and emerging stars.

Keywords: citation analysis, semantic web, research evaluation, impact analysis

1. Introduction

The Web is experiencing tremendous changes in its function to connect information, people and knowledge, but also facing severe challenges to integrate data and facilitate knowledge discovery. The Semantic Web is one of the main efforts aiming to enhance human and machine interaction by representing data in an understandable way for machine to mediate data and services [1]. Recently, PriceWaterhouseCoopers [2] has predicted that Semantic Web technologies may revolutionize the entire enterprise of decision-making and information sharing. The profile of the Semantic Web has been further heightened by the Obama administration's new groundbreaking plan to initiate Semantic Web technologies to bring transparency to government activities [3]. Indeed, we see and hear the term "Semantic Web" almost everywhere.

Why is the Semantic Web becoming so popular? One obvious reason: the increasing needs of individuals and society to process information with efficiency, speed and comprehensiveness. This primary need addresses the vexing issue of the Web's over-flooded information. Ten years ago the Web largely contained documents,

¹ Correspondence to: Ying Ding, School of Library & Information Science, Indiana University, 1320 East 10th Street, Herman B Wells Library, LI025, Bloomington, IN 47405, USA, dingying@indiana.edu

Ying Ding

allowing users to consume these documents and mine their nuggets in a timely and relatively straightforward fashion. But the explosively massive increase of websites has generated an information deluge, creating an often confusing and overwhelming format for gathering pertinent data within a reasonable period of time. For example, within the first few months of 2009 there has been an increase of 46 million websites [4]. The human capacity to read or consume this level of data is not possible to achieve in his lifetime. There is now a serious demand to distill documents into data that extracts core concepts from documents and represents them in a concise manner, such as RDF triples. A huge amount of documents can thus be shrunk to several data triples, which allows for easier consumption and retrieval. Yet even these improved cycles can go infinitively. As information deluge turns into data deluge, there is a need to add metadata to data, a process already in place. In turn metadata deluge will become another deluge, with no end in sight to this information abstraction. So while these abstracting processes can reduce the size of data and the burden for human use, they also create new challenges for data sharing and integration.

Another major issue for Web users is the problem of data sharing and integration [5]. If data is isolated somewhere as a silo, its usage and function can be significantly limited. As the world is becoming increasingly linked [6], the proper sharing of data has become essential to virtually all fields. Since data is represented in widely different syntax and semantics, the tasks of integrating data may be profoundly complex. One of the major missions for the database community is thus to find efficient ways to integrate data. But this remains as a remote goal where no “shortcuts” are available. Data stored in databases are structured data, while most data on the Web are unstructured². Integrating and sharing data becomes more challenging, as what is called the current “bag-of-strings” nature of the Web does not facilitate connections that are machine-readable. These problems need to be addressed and solved. But there is no golden bullet. Semantic Web proposes technologies and methods that mainly address these two needs: how to add semantics to data and how to enable data integration [7].

Ontology, the backbone of the Semantic Web, is the formal representation of domain schemas. An ontology provides a shared vocabulary by modeling the semantics of data and representing them in markup languages proposed by the World Wide Web Consortium (W3C). W3C plays a major role in directing international efforts at specifying, developing and deploying standards for sharing information [8]. Semantically enriched data pave the crucial way to facilitate Web functionality and interoperability. Semantic Web technologies thus open up new possibilities for developing applications that work across the Web by modeling and linking data with best practices. They provide a fundamental infrastructure to create, represent and instantiate ontologies and metadata so as to enable intelligent retrieval and discovery. Semantic Web technologies continue to influence data sharing and management in various fields, such as Digital Library, Knowledge Management, Data Mining, Social Media, Electronic Commerce and Web Services [9].

Although Semantic Web is derived from the arena of Artificial Intelligence (AI), where ontological research can be traced back to early 1980s, the groundbreaking progress in this area started from the late 1990s or 2000, when significant funding was secured from the European Commission and United States to support these important innovations [5]. This paper uses citations and publications to illustrate this ten-year development in the Semantic Web field, with the special focus on semantics and ontology related research development. It is organized as the followings. Following this Introduction, Section 2 gives a brief history; Section 3 presents the research methods; Section 4 discusses the productivity and impact of this field, and Section 5 summarizes the results and addresses future research.

2. Brief history

Ten years ago nearly all the Semantic Web researchers could fit into one meeting room. They had to attend various conferences to explain the difference between “ontology” and “oncology,” for the infrastructure and enabling methods/tools for Semantic Web were very unclear. Researchers still struggled with the migration of

² <http://www.oracle.com/newsletters/information-insight/content-management/feb-07/forrester-future.html>

Ying Ding

existing artificial intelligent methods to the Web, and tried to avoid yet-another “AI Winter” [10]. The brief history described here focuses on several “firsts” in the field: the first language, first conference, first journal and first foundation.

In Europe, we claimed that the first EU-funded Semantic Web project was OntoKnowledge (<http://www.ontoknowledge.org/>, 2000-2002). It was led by the Free University of Amsterdam. The major output of this project was the development of the OIL language which was not scheduled as a formal deliverable from the proposal. This project triggered the first meeting of EU and USA researchers in Aachen, Germany in August 2000. This meeting stressed the importance of the layered structure of OIL, and planned future EU funding for the community-formed Thematic Network for the Semantic Web (called the OntoWeb project, funded two years later by the EU). One month later, the second DAML and OIL meeting was held in Amsterdam. Three months later in December 2000, the DARPA Agent Markup Language Program officially announced that DAML+OIL was expected to be available that month, and in January 2001 its official version was released. DAML+OIL was later developed as OWL, which is currently the W3C standard and one of the key languages in the Semantic Web area.

The fundamental community-forming effort for the Semantic Web came from the OntoWeb project funded by EU from 2002-2004. The project created several “firsts” – the first conference, largely sponsored by the OntoWeb consortium, was held in Stanford in summer 2001. Named the Semantic Web Working Symposium. Afterwards, the conference was renamed as the International Semantic Web Conference and has been held annually thereafter in Europe, Asia and America in alternating years. Following the same pattern, the regional conferences were created. The first European Semantic Web Symposium was held in Greece 2004 and later on changed to the European Semantic Web Conference. The first Asia Semantic Web Conference was held in Beijing 2006. Of course, nowadays, Semantic Web related topics are mentioned in almost all the major computer science related conferences and broadly spread to conferences in other domains, such as, biology, chemistry, life science, medicine, library science and so on.

Creating an international journal for the field was planned in the deliverable of the OntoWeb project but was first discussed at the Dagstuhl Workshop on the Semantic Web in March 2000. The initial plan was to start the journal under the rubric of the Electronic Transactions on Artificial Intelligence (ETAI), which was published under the scientific patronage of the Royal Swedish Academy of Sciences and the European Coordinating Committee for Artificial Intelligence (ECCAI). This journal in the end found its home in Elsevier in 2003, named as *Journal of Web Semantics: Science, Services and Agents on the World Wide Web*. This journal grew with the community and received an impact factor of 3.023 from Journal Citation Report in 2009 published by Thomson Reuters. It is currently ranked as the 12th highest journal of 94 in the categories of Computer Science and Artificial Intelligence.

The first non-profit foundation was sponsored by the OntoWeb project and established in Amsterdam as “Stichting OntoWeb” (Stichting is the Dutch translation for “foundation”) in 2001. The Foundation’s objective is the advancement of research and development in the field of ontology and Semantic Web in general, and information exchange for knowledge management and electronic commerce in particular. Later on, this Stichting was moved to Karlsruhe and renamed the Semantic Web Science Association (SWSA). Now it supervises the organization of the International Semantic Web Conference series and other related conferences, workshops and summer schools and runs the *Journal of Web Semantics*.

At this ten-year juncture of the Semantic Web, it is now important to identify its current status, including who the major players are, such as, the most productive and highly cited authors, and the new driving forces. Since this area is moving fast and leading innovations on web engineering, data integration and service architecture, there is a pressing need to conduct research performance evaluation. This paper uses works published in this field to portray its research landscape.

Ying Ding

3. Related work

Although various critical problems exist in bibliometric analysis as a method to evaluate research impact, such as database-related problems, inflated citation records, bias in citation rates and crediting of multi-author papers [11], it has been extensively applied over the past decades [12]. The basic approach is straightforwardly counting, such as how many times a particular paper has been cited [13]. Advanced techniques have been developed as well, such as author co-citation analysis [14], the h-index [15, 16], social network analysis [17, 18] and PageRank [19].

Recently, for example, Huang [20] collected publications associated with research on Obstructive Sleep Apnea (OSA) during the period of 1991-2006 from Web Of Science (WOS) to identify and predict the trends of publication output, journal patterns, country of publication, and authorship. Sorensen [16] applied citation analysis to post-1984 research on Alzheimer's Disease based on data from PubMed and WOS. Riikonen and Vihinen [13] examined the productivity and impact of more than 700 biomedical researchers in Finland from 1966 to 2000. Thijs and Glanzel [21] used different bibliometric indicators to profile European research institutes.

But there are not many available researches on using bibliometric methods to evaluate the field of Semantic Web, partially because it is still a young emerging field. Mika [22] and Mika, Elfring, and Groenewegen [23] conducted social network analysis for the Semantic Web research community based on researchers who have submitted publications or held an organizing role at the first, second and third International Semantic Web Conference (ISWC2002, ISWC2003 and ISWC2004) or the first Semantic Web Working Symposium in 2001. Their dataset contains 608 researchers. They compared the indegree, closeness, structural holes, publications and citations among these researchers and identified the core community and influential members. Zhao and Strotmann [24] used author co-citation analysis to detect school-of-thoughts for the XML field, which is quite broader than the Semantic Web field. As there is not a thorough citation analysis for Semantic Web research, this paper fills this gap by analyzing papers and citations produced in this field.

4. Method

For citation analysis, WOS and Scopus are the two major authorized databases [25]. But since 2007, WOS has excluded all the major computer science conference proceedings and put them to the ISI proceedings which are not part of WOS anymore³. Because Semantic Web is a young emerging multidisciplinary field, we place our focus especially on the semantics and ontology related research (as discussed in Introduction part), which form the core part of the Semantic Web field. In April 2009, "Semantic*" or "Ontolog*" have been used as the search terms to retrieve related publications and their citations from titles, keywords, and abstracts of papers in WOS and Scopus, with the restriction to the computer science related areas, including Library and Information Science⁴. The search query in WOS is TS⁵=(semantic* OR ontolog*) refined by subject areas related to computer science including theory and methods, artificial intelligence, information systems, software engineering, interdisciplinary, hardware and architecture, information science and library science, and cybernetics. There are 23,670 items identified. After excluding editorial materials, meeting abstracts and others, there are 22,951 articles remained. For Scopus, the search query is TITLE-ABS-KEY (semantic*) or title-abs-key(ontolog*) refined by subject areas in computer science, library and information science, and other related multidiscipline, which results in 46,029 items. After excluding corrections, conference review and other notes, there are 44,157 articles remained.

³ http://isiwebofknowledge.com/media/pdf/cpci_faq.pdf

⁴ Of course, there can be many other terms to retrieve related data in the Semantic Web field due to its multidisciplinary feature. But in this paper, we set our focus on research related to semantics and ontology (as addressed in the Introduction part), which are the crucial parts of the field. Other potential terms (e.g. RDF, XML, OWL, Linked Open Data, LOD, SPARQL, et al.) are therefore not included to retrieve data.

⁵ TS in WOS include Title, Abstract, Author Keywords and Keywords Plus

Ying Ding

The main hypothesis for forming the search query for WOS and Scopus is that if this paper belongs to semantic web area, the authors should mention either "ontolog*" or "semantic*" in their title, keyword, or abstract. The reason why the semantic language terms are not included in the search query is that: 1) there are too many of them and they are still evolving, such as, XML, RDF, RDF-S, X-Query, SPARQL, RDFa, OWL, OIL, DAML+OIL, DAML, OWL-S, WSMO, WSML, GRIDDLE, SWRL, RIF, to name but a few. Also the OWL, OIL and DAML can lead to a large amount of noisy data, such as papers researching on OWL as an animal, or OIL as a product of oil industry. For example, Ian Horrock's most cited paper on OWL, in its title and abstract, there are semantic web and ontology mentioned. So if one paper never mentioned "ontolog*" or "semantic*" in title, abstract, or keyword, there is a high chance that this paper might not be directly related to the semantic web. So "ontolog*" or "semantic*" can be used to as search terms to capture the majority of papers published in the semantic web area⁶.

In the end, there are 44,157 papers with 651,673 citations from Scopus covering 1975-2009, and 22,951 papers with 571,911 citations from WOS covering 1960-2009. We took these two datasets to analyze the research performance of the Semantic Web community. Semantic Web is a continuous development of the World Wide Web. The major progress of this field started from early 2000 when it gradually acquired major funding from European Commission and USA. In order to portrait the details of this important phase, we divided the period of 2000-2009 into 2000-2004 and 2005-2009 to better outline its dynamic changes.

5. Results




Figure 1. No. of papers in WOS (dark grey) and Scopus (light Grey)

⁶ Just for testing purpose, in Feb 2010, there are around 7,600 articles in WOS having OWL*** appeared either in title, keyword or abstract. Only less than 10% of them are related to semantic web. Among them, more than 95% have ontolog* or semantic* appeared either in title, keyword or abstract. Same testing for using „RDF*** as a search term for WOS, less than 30% of articles, which have RDF appears either in title, abstract or keyword, are related to semantic web area. Among them, more than 90% have ontolog* or semantic* appeared either in title, keyword or abstract.

Ying Ding

There have been consistent increases in Semantic Web (SW) publications in Scopus (red column) to date, taking into consideration that 2009 data was downloaded in April 2009. In Scopus, the 2008 publications nearly doubled the amount of total paper published during 1990-1999. Since 2000, there has been an average yearly increase in publications of 31.7%. In WOS, however, these numbers significantly dropped in 2007 and 2008, due to the exclusion of conference proceedings from 2007 on, especially those coming from major Semantic Web events such as the International Semantic Web Conference, European Semantic Web Conference, Asian Semantic Web Conference and the World Wide Web Conference. Among the total number of SW papers in WOS and Scopus, 50% are conference papers.

5.1 Productivity

5.1.1 Journal/Conference

Table 1. Major SW publication channels

WOS		Scopus	
Journal/Conference	No. Paper	Journal/Conference	No. Paper
LECT NOTE COMPUT SCI	7519	Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)	9938
LECT NOTE ARTIF INTELL	2110	Electronic Notes in Theoretical Computer Science	1259
THEOR COMPUT SCI	741	Lecture Notes in Artificial Intelligence (Subseries of Lecture Notes in Computer Science)	860
ACM SIGPLAN NOTICES	355	Theoretical Computer Science	841
BIOINFORMATICS	290	Proceedings of the National Conference on Artificial Intelligence	342
IEEE TRANS KNOWL DATA ENG	278	Data and Knowledge Engineering	284
DATA KNOWL ENG	261	Bioinformatics	279
INFORM COMPUT	231	IEEE Transactions on Knowledge and Data Engineering	278
ARTIF INTELL	219	Proceedings - International Conference on Data Engineering	273
EXPERT SYST APPL	188	Proceedings of the ACM Symposium on Applied Computing	262
J AMER MED INFORM ASSOC	185	Information and Computation	252
J LOGIC COMPUT	175	Artificial Intelligence	252
FUNDAM INFORM	163	Ruan Jian Xue Bao/Journal of Software	247
INFORM SYST	154	Fundamenta Informaticae	224
J LOGIC PROGRAM	146	Proceedings of the IEEE International Conference on Systems, Man and Cybernetics	219
SCI COMPUT PROGRAM	144	ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings	216
INFORM SOFTWARE TECHNOL	143	Information Systems	215
ACM TRANS PROGRAM LANG SYST	142	Expert Systems With Applications	211
ACTA INFORM	136	IEEE Transactions on Software Engineering	210
INFORM SCIENCES	134	Annual ACM Symposium on Principles of Programming Languages	207

Lecture Notes in Computer Science and *Lecture Notes in Artificial Intelligence* are the two major publishing channels for SW papers, all of which are conference papers. This confirms that conference proceedings form the dominant publishing media reporting in the Semantic Web area. The top journals contributing to the publishing of SW papers are *Theoretical Computer Science*, *Bioinformatics*, *Data and Knowledge Engineering*, *IEEE transactions on Knowledge and Data Engineering*, *Information and Computation* and *Artificial Intelligence*. Most of the journals are in English, with one journal in Chinese, the *Ruan Jian Xue Bao/Journal of Software*.

Ying Ding

5.1.2 Researchers

In WOS, the number of publications produced by the authors have been counted and ranked based on the first, second, and third author respectively. We present them in three time periods: 1960-2009, 2000-2004 and 2005-2009. For example, the first authors T. Eiter from Vienna Technical University, A. Brogi from University of Pisa, and H. Zhuge from Chinese Academy of Sciences are the top three most productive researches in 1960-2009. If we look at the recent period (2000-2009), H. Zhuge and T. Eiter keep their high productivity, while J. J. Jung from Yeungnam University, Korea emerges as a new star with 13 publications in 2005-2009, as does J. J. Alferes from University of Nova Lisboa, with 12 publications in 2000-2004 as first author.

Table 2. Productive authors (WOS)

R	1960-2009			2000-2004			2005-2009		
	First author	Second author	Third author	First author	Second author	Third author	First author	Second author	Third author
1	Eiter, T, 43	Montanari, U, 32	Montanari, U, 27	Zhuce, H, 13	Staab, S, 13	Montanari, U, 9	Eiter, T, 14	Yang, Y, 9	Vermeir, D, 9
2	Brogi, A, 31	Koutny, M, 20	Prade, H, 16	Alferes, JJ, 12	Wu, ZH, 11	Van der Hoek, W, 9	Jung, JJ, 13	Horrocks, L, 9	Wu, ZH, 7 Castells, P, 7
3	Zhuce, H, 26	Wu, ZH, 19	van der Hoek, W, 15	Eiter, T, 12	Vermeir, D, 11	Terracina, G, 8	Zhuce, H, 12	Zhang, Y, 8	Chen, HJ, 8
4	Bruni, R, 24	Motta, E, 18	Leone, N, 13	Bruni, R, 11	Montanari, U, 10	Prade, H, 7	Bruni, R, 10	Xu, BW, 8	Li, Y, 6
5	Antoniou, G, 22	Vermeir, D, 18	Geller, J, 13	Bertino, E, 10	de Boer, FS, 9	Goble, C, 6	Kim, W, 9	Wu, ZH, 8	Di Sciascio, E, 6
6	Jung, JJ, 21	Lamma, E, 17	Vermeir, D, 13	Fensel, D, 10	Gelbukh, A, 9	Elmagarmid, AK, 6	Li, L, 9	Horrocks, I, 9	Montanari, U, 6
7	Broy, M, 21	Subrahmanian, VS, 17	Subrahmanian, VS, 12	Stojanovic, N, 9	Chang, E, 8	Hacid, MS, 6	Horrocks, I, 9	Lee, J, 9	Lu, JJ, 6
8	Bertino, E, 21	Levi, G, 17	Palamidessi, C, 12	Noy, NF, 9	Motta, E, 8	Pereira, LM, 6	Lee, J, 9	Li, X, 7	Wang, XL, 6
9	Baldan, P, 20	de Boer, FS, 16	Terracina, G, 11	Fan, JP, 8	Heckel, R, 8	van Harmelen, F, 6	Baldan, P, 8	Di Noia, T, 7	Antoniou, G, 6
10	Barbuti, R, 20	Horrocks, I, 16	Sure, Y, 11	Antoniou, G, 8	Serafini, L, 7	Ling, TW, 7	Lukasiewicz, T, 8	Montanari, U, 7	Wiklicky, H, 6
11	Lee, J, 19	Staab, S, 16	Mello, P, 11	Jung, JJ, 8	Ling, TW, 7	Degano, P, 7	Zhang, Y, 8	Tadeusiewicz, R, 7	Sure, Y, 6
12	Greco, S, 19	Lu, JJ, 11	Lu, JJ, 11	Maedche, A, 8	Degano, P, 7	Horrocks, I, 7	Broggi, A, 8	Parsia, B, 7	Liu, L, 5
13	DEBAKKER, JW, 19	Leone, N, 15	Decker, S, 10	Baldan, P, 8	Horrocks, I, 7	Pontelli, E, 7	Antoniou, G, 8	Pontelli, E, 7	Leone, N, 5
14	Alferes, JJ, 18	Gorrieri, R, 15	Spyratos, N, 10	Palopoli, L, 8	Pontelli, E, 7	Hahn, U, 7	Wang, Y, 8	Jin, H, 7	Liu, J, 5
15	Vogler, W, 18	Pontelli, E, 15	Meo, MC, 10	Jacobs, B, 8	Hahn, U, 7	Varadharaajan, V, 7	Kim, J, 8	Lee, CS, 8	Steffen, M, 5
16	Zhang, Y, 18	Gabbriellini, M, 14	Perl, Y, 9	Mossakowski, T, 8	Varadharaajan, V, 7	Pereira, LM, 7	Lee, CS, 8	Chang, E, 6	Ho, CS, 5
17	Giacobazzi, R, 17	Zhang, Y, 14	Van Harmelen, F, 9	Guarino, N, 7	Pereira, LM, 7	Meersman, R, 5	Park, S, 7	Reniers, MA, 6	Zhang, L, 5
18	Dubois, D, 17	Prade, H, 14	Wiklicky, H, 9	Bussler, C, 7	Li, ML, 6	Staab, S, 5	Lee, S, 7	Jin, Z, 6	Baik, DK, 5
19	Borger, E, 16	Chang, E, 14	Liu, J, 8	Dau, F, 7	Cimino, JJ, 6	Halper, M, 5	Wang, P, 7	Smith, B, 6	Chang, E, 5
20	Corradini, A, 16	Xu, BW, 14	Elmagarmid, AK, 8	van Eijk, RM, 7	Spyns, P, 6	Le, JJ, 5	Sanchez, D, 7	Fokkink, W, 6	Wand, Y, 6
		Pereira, LM, 14				Tompits, H, 5	Japaridze, J, 5	Wand, Y, 6	

Ying Ding

Aceto, L, 16	Meseguer, J, 16	Boreale, M, 16	Meseguer, J, 8	Steve, G, 8	Wu, ZH, 8	Pereira, LM, 8	Tarlecki, A, 8	Liu, L, 8	Rullo, P, 8	Di Sciascio, E, 8	Ursino, D, 8	Mylopoulos, J, 8	Motta, E, 8	Goble, C, 8	Ling, TW, 8	Pugliese, R, 8	Ras, ZW, 7	Benferhat, S, 7	Klein, M, 7	Osorio, M, 7	Boreale, M, 7	Bossi, A, 7	Hunter, A, 7	Ras, ZW, 7	Niemela, I, 6	Xu, BW, 6	Kifer, M, 6	Donini, FM, 6	Klein, M, 6	Meseguer, J, 6	Goble, C, 6	Palomar, M, 6	Parsia, B, 6	Zhang, WJ, 6	Perl, Y, 6	Geller, J, 5	Mongielo, M, 5	Sure, Y, 5	Priami, C, 5	Meo, MC, 5	Zavattaro, G, 5	Snodgrass, RT	Ma, FY	Domingue, J	G, 7	Chen, Y, 7	Bry, F, 7	Laird, J, 7	Li, M, 7	Liu, Y, 7	Kim, KY, 7	Heymans, S, 7	Bertini, M, 7	Jovanovic, J, 7	Worring, M, 6	Hankin, C, 6	Gasevic, D, 6	Xu, D, 6	Li, HY, 6	Medeiros, CB, 6
--------------	-----------------	----------------	----------------	-------------	-----------	----------------	----------------	-----------	-------------	-------------------	--------------	------------------	-------------	-------------	-------------	----------------	------------	-----------------	-------------	--------------	---------------	-------------	--------------	------------	---------------	-----------	-------------	---------------	-------------	----------------	-------------	---------------	--------------	--------------	------------	--------------	----------------	------------	--------------	------------	-----------------	---------------	--------	-------------	------	------------	-----------	-------------	----------	-----------	------------	---------------	---------------	-----------------	---------------	--------------	---------------	----------	-----------	-----------------

Note: number presents the number of publications. Some of the current Chinese names, such as Liu, L., Ding, L., can be the combination of different people, but it is beyond the scope of current research to differentiate author identities (same for other tables below).

Scopus contains all the excluded conference proceedings of WOS, and therefore has better coverage of the field. Within the total period, H. Zhuge, T. Eiter and J. J. Jung are the top three productive first authors. H. Zhuge maintains high productivity in 2000-2004 and 2005-2009, while J.J. Jung moves to the top one in 2005-2009 with 25 publications as first author, and T. Eiter keeps his third position in 2005-2009. E. Bertino from Purdue University and M. R. Naphade from University of Illinois are ranked as the second and third top productive first authors in 2000-2004.

Table 3. Productive authors (Scopus)

R	1975-2009			2000-2004			2005-2009		
	First author	Second author	Third author	First author	Second author	Third author	First author	Second author	Third author
1	Zhuge H., 44	Yang Y., 30 Montanari U., 30	Di Sciascio E., 47	Zhuge H., 19	Gelbukh A., 10	Montanari U., 8 Smith J.R., 8 Terracina G., 8 Staab S., 8	Jung J.J., 25	Di Noia T., 21	Di Sciascio E., 21
2	Eiter T., 37	Meseguer J., 28	Li X., 43	Bertino E., 16	Meseguer J., 9	Eltmagarmid A.K., 8	Zhuce H., 24	Gasevic D., 19	Esposito F., 18
3	Jung J.J., 35		Motta E., 41	Naphade M.R., 12	Power J., 9 Dubois D., 9		Eiter T., 20	Tadeusiewicz R., 18	Motta E., 18
4	Bertino E., 25 Yang Y., 25	Staab S., 23 Motta E., 23 Di Noia T., 23	Montanari U., 36	Fensel D., 11	Finin T., 9 Staab S., 9	Hussain F.K., 18	Park S., 20	Yang Y., 20	Baik D.-K., 16
5	Antoniou G., 24	Tadeusiewicz R., 22 Parsia B., 22	Esposito F., 33	Noy N.F., 10	Henderson-Sellers B., 8 Montanari U., 8		Lee C.-S., 15	Dong H., 15	Dillon T.S., 17
6			Decker S., 30	Benferhat S., 10		Eiter T., 10 Hunter A., 10			
7	Park S., 23	Domingue J., 27 Yang Y.,	Domingue J., 12	Hunter A., 10	Montanari U., 8	Lukasiewicz T., 15	Montanari	Tjoa A.M., 12	Domingue J., 12
8	Broy M.,								

Ying Ding

	22		26		Motta E., 8	6		U., 16	
9	Brogi A., 22	Gomez-Perez A., 20	Wiklicky H., 25	Halpern J.Y., 9		Decker S., 6	Fanizzi N., 14	Horrocks I., 15	Sure Y., 11
10	Baldan P., 21	Del Bimbo A., 20	Staab S., 25	Jacobs B., 9	Bertino E., 7	Goble C., 6	Ogiela L., 14	Meseguer J., 15	Dillon T., 11
11	Bergstra J.A., 21	Dillon T.S., 20	Baik D.-K., 25	Ma Z.M., 9	Goble C., 7	Finin T., 6	Bertini M., 14	Parsia B., 15	Wiklicky H., 11
12	Halpern J.Y., 20	Gasevic D., 19	Sure Y., 24	Wang Y., 9	Serafini L., 7	Van Harmelen F., 6	Baldan P., 13	Motta E., 15	Castells P., 11
13	Barbuti R., 19	Hussain F.K., 18	Dillon T., 21	Jung J.J., 8	Joshi A., 7	Studer R., 6	Horrocks I., 13	D'Amato C., 14	Vermeir D., 11
14	Fensel D., 18	Finin T., 18	Dillon T.S., 19	Li B., 8	Parsia B., 7	Ferrari E., 5	Di Pierro A., 13	Gomez-Perez A., 14	Ogiela M.R., 11
15	Benferhat S., 18	Jeong D., 18	Hitzler P., 19	Kim W., 8	De Boer F.S., 6	Shah M., 5	Brogi A., 13	Staab S., 14	Dillon T.S., 10
16	Di Pierro A., 18	Horrocks I., 18	Antoniou G., 19	Stojanovic N., 8	Vermeir D., 6	Wu G., 5	Antoniou G., 13	Pan J.Z., 13	Decker S., 10
17	Horrocks I., 17	Subrahmanian V.S., 18	Palamides si C., 18	Power J., 8	Varadharajan V., 6	Ghafoor A., 5	Sidhu A.S., 11	Embley D.W., 12	Wuwongse V., 10
18	Bruni R., 17	Embley D.W., 17	Mylopoulos J., 16	Chen Y., 8	Musen M.A., 6	Rastogi R., 5			Shi Y., 10
19	Alpuente M., 17	Hankin C., 16	Tjoa A.M., 16	Zhang D., 8	Fournet C., 6	Wiklicky H., 5	Ceravolo P., 10	Del Bimbo A., 11	Ren F., 10
20	Corradini A., 17	Peng Y., 16	Vermeir D., 15	Palopoli L., 8	Venkatesh S., 6	Pugliese R., 5	D'Amato C., 10	Lee S., 11	Liu Z., 10
	Bry F., 17	Li S., 16	Van Harmelen F., 15	Lim J.-H., 8	Gorrieri R., 6	Harper R., 5	De Bruijn J., 10	Liu D., 11	Shi Z., 10
	Yager R.R., 17		Terracina G., 15		Mizoguchi R., 6	Wang S., 5	Jovanovic J., 10	Bielikova M., 11	
	Lukasiewicz T., 17		Prade H., 15		Thiemann P., 6	Snodgrass R.T., 5	Bry F., 10	Gugliotta A., 11	
	Avron A., 17				Degano P., 6	Venkatesh S., 5	Mylonas P., 10	Straccia U., 11	
					Parsons S., 6	Le J., 5	Huang W., 10		
					Zhou M., 6	Subrahmanian V.S., 5	Bruni R., 10		
					Mastroeni I., 6	Van Der Hoek W., 5			
					Ludascher B., 6	Ursino D., 5			
					Sabry A., 6	Meseguer J., 5			
					Huhns M.N., 6	Sure Y., 5			
					Bouguettaya A., 6	Maedche A., 5			
					Grosky W.I., 6	Kim J., 5			
					Chua T.-S., 6	Ma W.Y., 5			
					Pierce B.C., 6	Heckel R., 5			
					Heckel R., 6	Brunie L., 5			
					Tekalp A.M., 6	Domingue J., 5			
						Zhang L., 5			

Notes: some popular Asian names are deleted as many researchers can have the same names.

Ying Ding

5.2 Impact

5.2.1 Highly cited Journals/conferences

In computer science, the major scholarly communication channel is shifting from journals to conferences⁷. Statistics on the Semantic Web, as one of the fast-moving subfields, show that the major highly cited channels are various conference proceedings published as *Lecture Notes in Computer Science* or *Lecture Notes in Artificial Intelligence*. In WOS (see Table 4), *Artificial Intelligence*, *Communication of the ACM* and *Theoretical Computer Science* journals are ranked the top three or four during these three periods. Looking at these top 20 highly cited journal/conferences, one finds that Semantic Web is closely related to artificial intelligence, computing theory, logic programming, database and bioinformatics.

Table 4. Highly cited journals/conferences (WOS)

R	1960-2009		2000-2004		2005-2009	
	Journal/Conference	No. Cited	Journal/Conference	No. Cited	Journal/Conference	No. Cited
1	LECT NOTES COMPUT SC	34015	LECT NOTES COMPUT SC	10604	LECT NOTES COMPUT SC	12706
2	ARTIF INTELL	6915	ARTIF INTELL	2164	ARTIF INTELL	2007
3	THEOR COMPUT SCI	5691	LECT NOTES ARTIF INT	1996	LECT NOTES ARTIF INT	1947
4	COMMUN ACM	5669	THEOR COMPUT SCI	1856	COMMUN ACM	1816
5	LECT NOTES ARTIF INT	4494	COMMUN ACM	1714	THEOR COMPUT SCI	1799
6	J LOGIC PROGRAM	3238	INFORM COMPUT	1206	BIOINFORMATICS	1181
7	INFORM COMPUT	3216	J LOGIC PROGRAM	1119	INFORM COMPUT	1048
8	IEEE T SOFTWARE ENG	3090	IEEE T SOFTWARE ENG	857	IEEE T PATTERN ANAL	1027
9	ACM T DATABASE SYST	2891	IEEE T KNOWL DATA EN	800	NUCLEIC ACIDS RES	1000
10	J ASSOC COMPUT MACH	2710	ACM T PROGR LANG SYS	778	IEEE T KNOWL DATA EN	987
11	ACM T PROGR LANG SYS	2567	J ASSOC COMPUT MACH	723	IEEE T SOFTWARE ENG	863
12	IEEE T KNOWL DATA EN	2289	ACM T DATABASE SYST	722	ACM T PROGR LANG SYS	705
13	IEEE T PATTERN ANAL	1842	IEEE INTELL SYST APP	653	IEEE INTELL SYST APP	662
14	ACTA INFORM	1617	IEEE T PATTERN ANAL	569	DATA KNOWL ENG	643
15	ACM COMPUT SURV	1478	P ACM SIGMOD INT C M	564	J LOGIC PROGRAM	595
16	J ACM	1431	J LOGIC COMPUT	462	ACM T DATABASE SYST	572
17	P ACM SIGMOD INT C M	1414	J AM SOC INFORM SCI	443	J ASSOC COMPUT MACH	542
18	BIOINFORMATICS	1400	ACTA INFORM	440	J AM MED INFORM ASSN	516
19	J COMPUT SYST SCI	1398	DATA KNOWL ENG	436	VLDB J	512
20	NUCLEIC ACIDS RES	1392	ACM COMPUT SURV	436	INT J HUM-COMPUT ST	511

Table 5 shows the top 20 highly cited journals or conferences from Scopus. There is no major difference between Table 4 and Table 5, where between them, *Lecture Notes in Computer Science*, *Communications of the ACM*, *Artificial Intelligence* and *Theoretical Computer Science* are ranked within the top three during these three periods. *Nature* and *Science* emerge within the top 20 in 2005-2009.

Table 5. Highly cited journal/conference (Scopus)

R	1960-2009		2000-2004		2005-2009	
	Journal/Conference	No. Cited	Journal/Conference	No. Cited	Journal/Conference	No. Cited
1	Lecture Notes in Computer Science	22923	Lecture Notes in Computer Science	6721	Lecture Notes in Computer Science	15176
2	Communications of the ACM	5913	Theoretical Computer Science	2511	Communications of the ACM	2983
3	Theoretical Computer Science	5564	Communications of the ACM	2228	Artificial Intelligence	2429
4	Artificial Intelligence	5069	Artificial Intelligence	2056	IEEE Intelligent Systems	2061

⁷ http://isiwebofknowledge.com/media/pdf/cpci_faq.pdf

Ying Ding

5	IEEE Intelligent Systems	2844	Information and Computation	1230	Theoretical Computer Science	2060
6	Information and Computation	2722	IEEE Transactions on Software Engineering	1018	Bioinformatics	1943
7	Journal of the ACM	2472	Journal of the ACM	995	Lecture Notes in Artificial Intelligence	1483
8	Lecture Notes in Artificial Intelligence	2371	Journal of Logic Programming	821	Journal of the ACM	1260
9	Bioinformatics	2203	Lecture Notes in Artificial Intelligence	800	Computational Linguistics	1188
10	IEEE Computer	1861	IEEE Intelligent Systems	771	IEEE Transactions on Knowledge and Data Engineering	1160
11	IEEE Transactions on Software Engineering	1842	IEEE Computer	677	Information and Computation	1142
12	Computational Linguistics	1679	ACM Transactions on Programming Languages and Systems	629	Scientific American	1113
13	IEEE Transactions on Knowledge and Data Engineering	1670	ACM Computing Surveys	574	IEEE Computer	1067
14	ACM Computing Surveys	1554	Fuzzy Sets and Systems	546	IEEE Internet Computing	988
15	Scientific American	1440	IEEE Transactions on Knowledge and Data Engineering	442	IEEE Transactions on Software Engineering	973
16	Fuzzy Sets and Systems	1389	Electronic Notes in Theoretical Computer Science	434	Nucleic Acids Res	908
17	Data and Knowledge Engineering	1353	Science of Computer Programming	432	Data and Knowledge Engineering	874
18	IEEE Internet Computing	1305	Computational Linguistics	432	ACM Computing Surveys	864
19	ACM Transactions on Programming Languages and Systems	1254	ACM Transactions on Database Systems	408	Science	858
20	SIGMOD Record	1212	Acta Informatica	390	Nature	833

5.2.2 Highly cited authors

The number of times authors or their works get cited can be used to measure the impact of their works on the community. Table 6 shows the top 20 highly cited authors based on 571,911 citations from WOS. In the whole period (1960-2009), R. Milner is ranked as the top one for his contribution of pi-calculus for mobile processes, M. Gelfond top two for his work of logic programming and non-monotonic reasoning, and C. A. R. Hoare top three for his Quicksort algorithm and Hoare Logic, which brought him the Turing Award in 1980. Sir Tim Berners-Lee, the inventor of the World Wide Web and Semantic Web, is ranked top four in the entire period, top two for 2000-2004 and top one for 2005-2009, which shows his increasing impact within the community. T. Gruber's ontology definition and his ontology engineering work are highly cited, causing him to be ranked as top three in 2000-2004. I. Horrocks's fundamental contribution to the Semantic Web languages, especially OWL, moves his rank up to top two in 2005-2009.

Table 6. Highly cited authors in WOS

R	1960-2009	No. Cited	2000-2004	No. Cited	2005-2009	No. Cited
1	MILNER R	2771	MILNER R	736	BERNERSLEE T	742
2	GELFOND M	1320	BERNERSLEE T	472	HORROCKS I	734
3	HOARE CAR	1308	GRUBER TR	445	MILNER R	655
4	BERNERSLEE T	1254	FENSEL D	418	BAADER F	529
5	ABITEBOUL S	1122	DUBOIS D	404	GRUBER TR	520

Ying Ding

6	DUBOIS D	1088	GELFOND M	400	NOY NF	417
7	HORROCKS I	1057	ABITEBOUL S	384	EITER T	403
8	GRUBER TR	1051	GUARINO N	359	SALTON G	382
9	ZADEH LA	1035	COUSOT P	337	GUARINO N	367
10	GOGUEN JA	950	EITER T	316	ZADEH LA	348
11	APT KR	911	ABADI M	315	GELFOND M	341
12	BAADER F	897	HORROCKS I	313	HOARE CAR	305
13	PLOTKIN GD	895	ZADEH LA	312	FENSEL D	302
14	HAREL D	895	HAREL D	311	DUBOIS D	300
15	CARDELLI L	883	SALTON G	299	MAEDCHE A	292
16	EITER T	879	HOARE CAR	291	ZHUGE H	267
17	SALTON G	874	CARDELLI L	289	ALUR R	264
18	GUARINO N	839	BAADER F	271	ABADI M	264
19	ABRAMSKY S	832	ABRAMSKY S	267	VANDERAALST WMP	264
20	COUSOT P	828	ALUR R	240	MILLER GA	263

Citations in Scopus include all authors, making it possible to rank the cited authors based on first, second, and third author. In the total period (1960-2009), R. Milner, T. Berners-Lee and I. Horrocks are ranked as the top three highly cited first authors; J. Hendler, S. Staab, and H. Garcia-Molina are ranked as the top three highly cited second authors; O. Lassila, F. van Harmelen, and I. Horrocks are the top three highly cited third authors. In 2000-2004, R. Milner, T. Berners-Lee, and M. Abadi are the top three highly cited first authors; J. Hendler, V. Lifschitz, and H. Prade are top three highly cited second authors, and O. Lassila, F. van Harmelen and H. Prade are top three highly cited third authors. In 2005-2009, T. Berners-Lee, I. Horrocks and R. Milner are top three highly cited first authors; J. Hendler, S. Staab and I. Horrocks are top three highly cited second authors, and O. Lassila, F. van Harmelen and A. Joshi are the top three highly cited third authors.

Table 7. Highly cited first, second and third authors (Scopus)

R	1960-2009			2000-2004			2005-2009		
	First author	Second author	Third author	First author	Second author	Third author	First author	Second author	Third author
1	Milner, R., 2182	Hendler, J., 1937	Lassila, O., 1538	Milner, R., 916	Hendler, J., 503	Lassila, O., 364	Berners-Lee, T., 1516	Hendler, J., 1420	Lassila, O., 1174
2	Berners-Lee, T., 2033	Staab, S., 944	Van Harmelen, F., 614	Berners-Lee, T., 511	Lifschitz, V., 310	Van Harmelen, F., 184	Horrocks, I., 1126	Staab, S., 705	Van Harmelen, F., 429
3	Horrocks, I., 1376	Garcia-Molina, H., 807	Horrocks, I., 437	Abadi, M., 438	Prade, H., 292	Prade, H., 181	Milner, R., 982	Horrocks, I., 597	Joshi, A., 305
4	Salton, G., 1161	Lifschitz, V., 781	Walker, D., 433	Dubois, D., 399	Cousot, R., 267	Walker, D., 164	Gruber, T.R., 811	Van Harmelen, F., 561	Horrocks, I., 300
5	Gruber, T.R., 1121	Horrocks, I., 741	Johnson, R., 393	Abiteboul, S., 388	Garcia-Molina, H., 262	Johnson, R., 154	Baader, F., 772	Garcia-Molina, H., 507	Hendler, J., 285
6	Fensel, D., 1047	Van Harmelen, F., 710	Lenzerini, M., 371	Fensel, D., 384	Huang, T.S., 261	Montanari, U., 143	Salton, G., 724	Parsia, B., 479	Sheth, A., 269
7	Guarino, N., 1022	Huang, T.S., 659	Joshi, A., 359	Salton, G., 379	Staab, S., 239	Horrocks, I., 137	Guarino, N., 634	Patel-Schneider, P.F., 454	Rahm, E., 256
8	Baader, F.,	Cousot, R.,	Sheth, A.,	Zadeh,	Meseguer, J.,	Harper,	Noy, N.F.,	Dumais, S.T.,	Staab, S.,

Ying Ding

	1019	641	350	L.A., 376	236	R., 127	628	446	256
9	Zadeh, L.A., 1001	Prade, H., 634	Decker, S., 341	Hoare, C.A.R., 371	Montanari, U., 225	Vianu, V., 126	Fensel, D., 616	Sattler, U., 434	Lenzerini, M., 243
10	Abadi, M., 923	Dumais, S.T., 633	Rahm, E., 340	Abramsky, S., 337	Pnueli, A., 224	Lenzerini, M., 120	Zhughe, H., 560	Worring, M., 429	Santini, S.
11	Hoare, C.A.R., 899	Finin, T., 524	Montanari, U., 338	Cardelli, L., 336	Parrow, J., 193	Decker, S., 116	Zadeh, L.A., 538	Calvanese, D., 414	Domingos, P., 232
12	Dubois, D.	Bernstein, P.A., 522	Prade, H., 334	Cousot, P., 332	Cardelli, L., 186	Suciu, D., 109	Maedche, A., 526	Finin, T., 412	Payne, T.R., 225
13	Abramsky, S., 828	Worring, M., 517	Hendler, J., 333	Guarino, N., 330	Gorrieri, R., 176	Rice, J., 107	Paolucci, M., 488	Lifschitz, V., 395	Decker, S., 225
14	Cousot, P., 822	Montanari, U., 513	Staab, S., 326	Harel, D., 319	Lenzerini, M., 168	Wu, J., 102	Eiter, T., 483	Huang, T.S., 394	Johnson, R., 223
15	Abiteboul, S., 813	Sattler, U., 512	Santini, S., 311	Alur, R., 309	Dumais, S.T., 166	Ullman, J.D., 100	Hoare, C.A.R., 449	Bernstein, P.A., 372	Walker, D., 219
16	Noy, N.F., 798	Parsia, B., 507	Domingos, P., 307	Gelfond, M., 301	Fikes, R., 162	Widom, J., 99	Alur, R., 441	Musen, M.A., 336	Finin, T., 211
17	Gelfond, M., 795	Meseguer, J., 507	Fensel, D., 294	Gruber, T.R., 256	Fensel, D., 160	Jacobson, I., 98	Calvanese, D., 406	Kawamura, T., 320	Fensel, D., 206
18	Alur, R., 784	Lenzerini, M., 506	Vianu, V., 290	Meseguer, J., 249	Grumberg, O., 159	Steele, G., 97	Abadi, M., 406	Paolucci, M., 301	Volz, R., 202
19	Harel, D., 773	Patel-Schneider, P.F., 505	Harper, R., 288	Horrocks, I., 240	Helm, R., 156	Booch, G., 90	Gelfond, M., 405	Cousot, R., 292	Sattler, U., 195
20	Eiter, T., 759	Pnueli, A., 485	Finin, T., 280	Rui, Y., 237	Bernstein, P.A., 146 Walker, D., 146	Eker, S., 88	Foster, I., 388 Gousot, P., 388	Lenzerini, M., 280	Boley, H., 194

5.2.3 Highly cited papers

Table 8 shows the ranks of highly cited papers in three different periods from WOS. T. Gruber’s ontology paper has been consistently highly cited and ranked as the top one for all periods. M. Gelfond’s stable model semantics for logic programming is ranked as the top two highly cited paper in 1960-2009 and top three in 2000-2004. A. van Gelder’s well-founded semantics for general logic programs is ranked as the top three in 1969-2009 and the top two in 2000-2004. T. Berners-Lee, J. Hendler and O. Lassila’s famous article about the vision of Semantic Web published in *Scientific American* is ranked as the top two highly cited paper in 2005-2009. M. Ashburner’s Gene Ontology article is ranked as the top three highly cited paper in 2005-2009. Through examining the highly cited papers in this field, one sees a clear shift from its beginning as being heavy artificial intelligence-dominated with a focus on knowledge representation, logic programming and theory proving, to more data-driven practical approaches designed to realize the Semantic Web vision by converting the current document Web into a data Web. During 2005-2009, more papers from data mining, natural language processing and database are highly cited. Ontology forms the heart of the Semantic Web vision and approaches, and the community has accepted ontology definitions coming from T. Gruber. Ontology engineering is also moving from creating a theoretical foundation for ontology to the mapping of different ontologies. Ontology languages have slowly evolved from various logic languages derived from the core AI. Semantic Web services emerged in 2005-2009, mainly represented by OWL-S initiative (e.g., that of J. Hendler and S. McIlraith).

Table 8. Highly cited papers (WOS)

R	1960-2009		2000-2004		2005-2009	
	paper	no. cited	paper	no. cited	paper	no. cited
1	GRUBER TR (1993), A TRANSLATION APPROACH TO PORTABLE ONTOLOGY SPECIFICATIONS, KNOWL ACQUIS, V5, P199	513	GRUBER TR (1993), A TRANSLATION APPROACH TO PORTABLE ONTOLOGY SPECIFICATIONS, KNOWL ACQUIS, V5, P199	175	GRUBER TR (1993), A TRANSLATION APPROACH TO PORTABLE ONTOLOGY SPECIFICATIONS, KNOWL ACQUIS, V5, P199	313

Ying Ding

2	GELFOND M (1988), THE STABLE MODEL SEMANTICS FOR LOGIC PROGRAMMING, P 5 INT C LOG PROGR, P1070	393	VANGELDER A (1991), THE WELL-FOUNDED SEMANTICS FOR GENERAL LOGIC PROGRAMS, J ASSOC COMPUT MACH, V38, P620	108	BERNERSLEE T (2001), THE SEMANTIC WEB - A NEW FORM OF WEB CONTENT THAT IS MEANINGFUL TO COMPUTERS WILL UNLEASH A REVOLUTION OF NEW POSSIBILITIES, SCI AM, V284, P34	238
3	VANGELDER A (1991), THE WELL-FOUNDED SEMANTICS FOR GENERAL LOGIC PROGRAMS, J ASSOC COMPUT MACH, V38, P620	311	GELFOND M (1988), THE STABLE MODEL SEMANTICS FOR LOGIC PROGRAMMING, P 5 INT C LOG PROGR, P1070	106	ASHBURNER M (2000), GENE ONTOLOGY: TOOL FOR THE UNIFICATION OF BIOLOGY, NAT GENET, V25, P25	211
4	DEERWESTER S (1990), INDEXING BY LATENT SEMANTIC ANALYSIS, J AM SOC INFORM SCI, V41, P391	265	BERNERSLEE T (2001), THE SEMANTIC WEB - A NEW FORM OF WEB CONTENT THAT IS MEANINGFUL TO COMPUTERS WILL UNLEASH A REVOLUTION OF NEW POSSIBILITIES, SCI AM, V284, P34	100	DEERWESTER S (1990), INDEXING BY LATENT SEMANTIC ANALYSIS, J AM SOC INFORM SCI, V41, P391	173
5	BERNERSLEE T (2001), THE SEMANTIC WEB - A NEW FORM OF WEB CONTENT THAT IS MEANINGFUL TO COMPUTERS WILL UNLEASH A REVOLUTION OF NEW POSSIBILITIES, SCI AM, V284, P34	264	MILNER R (1992), A CALCULUS OF MOBILE PROCESSES .1., INFORM COMPUT, V100, P1	95	RAHM E (2001), A SURVEY OF APPROACHES TO AUTOMATIC SCHEMA MATCHING, VLDB J, V10, P334	100
6	REITER R (1980), A LOGIC FOR DEFAULT REASONING, ARTIF INTELL, V13, P81	255	DEERWESTER S (1990), INDEXING BY LATENT SEMANTIC ANALYSIS, J AM SOC INFORM SCI, V41, P391	94	SMEULDERS AWM (2000), CONTENT-BASED IMAGE RETRIEVAL AT THE END OF THE EARLY YEARS, IEEE T PATTERN ANAL, V22, P1349	99
7	MILNER R (1992), A CALCULUS OF MOBILE PROCESSES .1., INFORM COMPUT, V100, P1	245	GELFOND M (1991), CLASSICAL NEGATION IN LOGIC PROGRAMS AND DISJUNCTIVE DATABASES, NEW GENERAT COMPUT, V9, P365	89	MILLER GA (1995), WORDNET - A LEXICAL DATABASE FOR ENGLISH, COMMUN ACM, V38, P39	98
8	GELFOND M (1991), CLASSICAL NEGATION IN LOGIC PROGRAMS AND DISJUNCTIVE DATABASES, NEW GENERAT COMPUT, V9, P365	240	HAREL D (1987), STATECHARTS - A VISUAL FORMALISM FOR COMPLEX-SYSTEMS, SCI COMPUT PROGRAM, V8, P231	80	GELFOND M (1991), CLASSICAL NEGATION IN LOGIC PROGRAMS AND DISJUNCTIVE DATABASES, NEW GENERAT COMPUT, V9, P365	97
9	CHEN PPS (1976), THE ENTITY-RELATIONAL MODEL - TOWARD A UNIFIED VIEW OF DATA. ACM T DATABASE SYST, V1, P9	239	MILLER GA (1995), WORDNET - A LEXICAL DATABASE FOR ENGLISH, COMMUN ACM, V38, P39	80	GRUBER TR (1995), TOWARD PRINCIPLES FOR THE DESIGN OF ONTOLOGIES USED FOR KNOWLEDGE SHARING, INT J HUM-COMPUT ST, V43, P907	94
10	VANEMDEN MH (1976), SEMANTICS OF PREDICATE LOGIC AS A PROGRAMMING LANGUAGE, J ASSOC COMPUT MACH, V23, P733	228	KIFER M (1995), LOGICAL-FOUNDATIONS OF OBJECT-ORIENTED AND FRAME-BASED LANGUAGES, J ASSOC COMPUT MACH, V42, P741	71	MILNER R (1992), A CALCULUS OF MOBILE PROCESSES .1., INFORM COMPUT, V100, P1	86
11	HAREL D (1987), STATECHARTS - A VISUAL FORMALISM FOR COMPLEX-SYSTEMS, SCI COMPUT PROGRAM, V8, P231	210	REITER R (1980), A LOGIC FOR DEFAULT REASONING, ARTIF INTELL, V13, P81	70	GELFOND M (1988), THE STABLE MODEL SEMANTICS FOR LOGIC PROGRAMMING, P 5 INT C LOG PROGR, P1070	85
12	CLARK KL (1978), NEGATION AS FAILURE, LOGIC DATA BASES, P293	191	ASHBURNER M (2000), GENE ONTOLOGY: TOOL FOR THE UNIFICATION OF BIOLOGY, NAT GENET, V25, P25	67	HORROCKS I (2003), FROM SHIQ AND RDF TO OWL: THE MAKING OF A WEB ONTOLOGY LANGUAGE, J WEB SEMANT, V1, P7	82
13	ASHBURNER M (2000), GENE ONTOLOGY: TOOL FOR THE UNIFICATION OF BIOLOGY, NAT GENET, V25, P25	191	GRUBER TR (1995), TOWARD PRINCIPLES FOR THE DESIGN OF ONTOLOGIES USED FOR KNOWLEDGE SHARING, INT J	66	VANGELDER A (1991), THE WELL-FOUNDED SEMANTICS FOR GENERAL LOGIC PROGRAMS, J ASSOC	80

Ying Ding

			HUM-COMPUT ST, V43, P907		COMPUT MACH, V38, P620	
14	MILLER GA (1995), WORDNET - A LEXICAL DATABASE FOR ENGLISH, COMMUN ACM, V38, P39	187	GIRARD JY (1987), LINEAR LOGIC, THEOR COMPUT SCI, V50, P1	61	PORTER, M.F. (1980), AN ALGORITHM FOR SUFFIX STRIPPING, PROGRAM, V14, PP. 130-137	70
15	GRUBER TR (1995), TOWARD PRINCIPLES FOR THE DESIGN OF ONTOLOGIES USED FOR KNOWLEDGE SHARING, INT J HUM-COMPUT ST, V43, P907	171	USCHOLD M (1996), ONTOLOGIES: PRINCIPLES, METHODS AND APPLICATIONS, KNOWL ENG REV, V11, P93	55	KALFOGLOU Y (2003), ONTOLOGY MAPPING: THE STATE OF THE ART, KNOWL ENG REV, V18, P1	65
16	ZADEH LA (1965), FUZZY SETS, INFORM CONTR, V8, P338	155	WIEDERHOLD G (1992), MEDIATORS IN THE ARCHITECTURE OF FUTURE INFORMATION-SYSTEMS, IEEE COMPUT, V25, P38	53	LANDAUER TK (1998), AN INTRODUCTION TO LATENT SEMANTIC ANALYSIS, DISCOURSE PROCESS, V25, P259	63
17	GIRARD JY (1987), LINEAR LOGIC, THEOR COMPUT SCI, V50, P1	148	MCILRAITH SA (2001), SEMANTIC WEB SERVICES, IEEE INTELL SYST APP, V16, P46	51	SEBASTIANI F (2002), MACHINE LEARNING IN AUTOMATED TEXT CATEGORIZATION, ACM COMPUT SURV, V34, P1	61
18	HOARE CAR (1969), AN AXIOMATIC BASIS FOR COMPUTER PROGRAMMING, COMMUN ACM, V12, P576	142	HENDLER J (2001), AGENTS AND THE SEMANTIC WEB, IEEE INTELL SYST APP, V16, P30	50	MCILRAITH SA (2001), SEMANTIC WEB SERVICES, IEEE INTELL SYST APP, V16, P46	61
19	MCCARTHY J (1980), CIRCUMSCRIPTION - A FORM OF NON-MONOTONIC REASONING, ARTIF INTELL, V13, P27	140	SMEULDERS AWM (2000), CONTENT-BASED IMAGE RETRIEVAL AT THE END OF THE EARLY YEARS, IEEE T PATTERN ANAL, V22, P1349	49	MILLER GA (1990), INTRODUCTION TO WORDNET: AN ON-LINE LEXICAL DATABASE, INT J LEXICOGR, V3, P235	60
20	SMEULDERS AWM (2000), CONTENT-BASED IMAGE RETRIEVAL AT THE END OF THE EARLY YEARS, IEEE T PATTERN ANAL, V22, P1349	140	MILLER GA (1990), INTRODUCTION TO WORDNET: AN ON-LINE LEXICAL DATABASE, INT J LEXICOGR, V3, P235	49	DEMPSTER AP (1977), MAXIMUM LIKELIHOOD FROM INCOMPLETE DATA VIA EM ALGORITHM, J ROY STAT SOC B, V39, P1	58

Table 9 shows the highly cited papers from Scopus. As per Table 8, T. Gruber’s ontology paper published in *Knowledge Acquisition* in 1993 again is ranked as the top one highly cited paper during all three periods. T. Berners-Lee, J. Hendler and O. Lassila’s *Scientific American* journal article is ranked as the top two highly cited papers, Raymond Reiter’s logic for default reasoning is ranked as the top two highly cited article in 2000-2004. S. Deerwester’s latent semantic analysis from *Journal of the American Society for Information Science* is ranked as the top three highly cited paper in 1960-2009 and 2005-2009. There is no major difference between Table 8 and Table 9, even though WOS and Scopus have a significant different number of Semantic Web articles.

Table 9. Highly cited papers (Scopus)

R	1960-2009		2000-2004		2005-2009	
	paper	no. cited	paper	no. cited	paper	no. cited
1	GRUBER TR (1993), A TRANSLATION APPROACH TO PORTABLE ONTOLOGY SPECIFICATIONS, KNOWL ACQUIS, V5, P199	598	GRUBER TR (1993), A TRANSLATION APPROACH TO PORTABLE ONTOLOGY SPECIFICATIONS, KNOWL ACQUIS, V5, P199	121	GRUBER TR (1993), A TRANSLATION APPROACH TO PORTABLE ONTOLOGY SPECIFICATIONS, KNOWL ACQUIS, V5, P199	470
2	BERNERSLEE T (2001), THE SEMANTIC WEB - A NEW FORM OF WEB CONTENT THAT IS MEANINGFUL TO COMPUTERS WILL UNLEASH A REVOLUTION OF NEW POSSIBILITIES, SCI AM, V284, P34	416	REITER, R. (1980), A LOGIC FOR DEFAULT REASONING, ARTIFICIAL INTELLIGENCE, V13, PP. 81-132	54	BERNERSLEE T (2001), THE SEMANTIC WEB - A NEW FORM OF WEB CONTENT THAT IS MEANINGFUL TO COMPUTERS WILL UNLEASH A REVOLUTION OF NEW POSSIBILITIES, SCI AM, V284, P34	355
3	DEERWESTER, S. (1990), INDEXING BY LATENT SEMANTIC ANALYSIS, JOURNAL OF THE AMERICAN SOCIETY FOR INFORMATION	132	VAN GELDER, A. (1991), THE WELL-FOUNDED SEMANTICS FOR GENERAL LOGIC PROGRAMS, JOURNAL OF THE	52	DEERWESTER, S. (1990), INDEXING BY LATENT SEMANTIC ANALYSIS, JOURNAL OF THE AMERICAN	93

Ying Ding

	SCIENCE, V41, PP. 391-407		ACM, V38, PP. 620-650		SOCIETY FOR INFORMATION SCIENCE, V41, PP. 391-407	
4	GELFOND M (1991), CLASSICAL NEGATION IN LOGIC PROGRAMS AND DISJUNCTIVE DATABASES, NEW GENERAT COMPUT, V9, P365	110	HAREL D (1987), STATECHARTS - A VISUAL FORMALISM FOR COMPLEX-SYSTEMS, SCI COMPUT PROGRAM, V8, P231	47	LANDAUER, T.K. (1998), AN INTRODUCTION TO LATENT SEMANTIC ANALYSIS, DISCOURSE PROCESSES, V25, PP. 259-284	71
5	REITER, R. (1980), A LOGIC FOR DEFAULT REASONING, ARTIFICIAL INTELLIGENCE, V13, PP. 81-132	104	BERNERSLEE T (2001), THE SEMANTIC WEB - A NEW FORM OF WEB CONTENT THAT IS MEANINGFUL TO COMPUTERS WILL UNLEASH A REVOLUTION OF NEW POSSIBILITIES, SCI AM, V284, P34	46	KALFOGLOU, Y. (2003), ONTOLOGY MAPPING: THE STATE OF THE ART, THE KNOWLEDGE ENGINEERING REVIEW, V18, PP. 1-31	71
6	LANDAUER, T.K. (1998), AN INTRODUCTION TO LATENT SEMANTIC ANALYSIS, DISCOURSE PROCESSES, V25, PP. 259-284	89	GELFOND M (1991), CLASSICAL NEGATION IN LOGIC PROGRAMS AND DISJUNCTIVE DATABASES, NEW GENERAT COMPUT, V9, P365	41	SEBASTIANI F (2002), MACHINE LEARNING IN AUTOMATED TEXT CATEGORIZATION, ACM COMPUT SURV, V34, P1	68
7	HAREL D (1987), STATECHARTS - A VISUAL FORMALISM FOR COMPLEX-SYSTEMS, SCI COMPUT PROGRAM, V8, P231	88	DEERWESTER, S. (1990), INDEXING BY LATENT SEMANTIC ANALYSIS, JOURNAL OF THE AMERICAN SOCIETY FOR INFORMATION SCIENCE, V41, PP. 391-407	39	GELFOND M (1991), CLASSICAL NEGATION IN LOGIC PROGRAMS AND DISJUNCTIVE DATABASES, NEW GENERAT COMPUT, V9, P365	68
8	RAHM, E. (2001), A SURVEY OF APPROACHES TO AUTOMATIC SCHEMA MATCHING, VLDB JOURNAL, V10, PP. 334-350	87	KRAUS, S. (1990), NONMONOTONIC REASONING, PREFERENTIAL MODELS AND CUMULATIVE LOGICS, ARTIFICIAL INTELLIGENCE, V44, PP. 167-207	35	HORROCKS I (2003), FROM SHIQ AND RDF TO OWL: THE MAKING OF A WEB ONTOLOGY LANGUAGE, J WEB SEMANT, V1, P7-26	66
9	SEBASTIANI F (2002), MACHINE LEARNING IN AUTOMATED TEXT CATEGORIZATION, ACM COMPUT SURV, V34, P1	86	ZADEH, L.A. (1965), FUZZY SETS, INFORMATION AND CONTROL, V8, PP. 338-353	34	TVERSKY, A. (1977), FEATURES OF SIMILARITY, PSYCHOLOGICAL REVIEW, V84, PP. 327-352	65
10	PORTER, M.F. (1980), AN ALGORITHM FOR SUFFIX STRIPPING, PROGRAM, V14, PP. 130-137	84	GIRARD JY (1987), LINEAR LOGIC, THEOR COMPUT SCI, V50, P1	32	RAHM, E. (2001), A SURVEY OF APPROACHES TO AUTOMATIC SCHEMA MATCHING, VLDB JOURNAL, V10, PP. 334-350	62
11	KALFOGLOU, Y. (2003), ONTOLOGY MAPPING: THE STATE OF THE ART, THE KNOWLEDGE ENGINEERING REVIEW, V18, PP. 1-31	79	MESEGUER, J. (1992), CONDITIONAL REWRITING LOGIC AS A UNIFIED MODEL OF CONCURRENCY, THEORETICAL COMPUTER SCIENCE, V96, PP. 73-155	29	STUDER, R. (1998), KNOWLEDGE ENGINEERING: PRINCIPLES AND METHODS, DATA AND KNOWLEDGE ENGINEERING, V25, PP. 161-197	59
12	TVERSKY, A. (1977), FEATURES OF SIMILARITY, PSYCHOLOGICAL REVIEW, V84, PP. 327-352	79	MCCARTHY J (1980), CIRCUMSCRIPTION - A FORM OF NON-MONOTONIC REASONING, ARTIF INTELL, V13, P27	29	ZHUGE, H. (2004), CHINA'S E-SCIENCE KNOWLEDGE GRID ENVIRONMENT, IEEE INTELLIGENT SYSTEMS, V19, PP. 13-17	58
13	ALUR, R. (1994), A THEORY OF TIMED AUTOMATA, THEORETICAL COMPUTER SCIENCE, V126, PP. 183-235	79	PORTER, M.F. (1980), AN ALGORITHM FOR SUFFIX STRIPPING, PROGRAM, V14, PP. 130-137	28	ALUR, R. (1994), A THEORY OF TIMED AUTOMATA, THEORETICAL COMPUTER SCIENCE, V126, PP. 183-235	58
14	ZADEH, L.A. (1965), FUZZY SETS, INFORMATION AND CONTROL, V8, PP. 338-353	78	JACOBS, B. (1997), A TUTORIAL ON (CO)ALGEBRAS AND (CO)INDUCTION	25	USCHOLD, M. (1996), ONTOLOGIES: PRINCIPLES, METHODS AND APPLICATIONS, KNOWLEDGE ENGINEERING REVIEW, V11, PP. 93-136	57
15	USCHOLD, M. (1996), ONTOLOGIES: PRINCIPLES, METHODS AND APPLICATIONS, KNOWLEDGE ENGINEERING REVIEW, V11, PP. 93-136	75	RAHM, E. (2001), A SURVEY OF APPROACHES TO AUTOMATIC SCHEMA MATCHING, VLDB JOURNAL, V10, PP. 334-350	25	PORTER, M.F. (1980), AN ALGORITHM FOR SUFFIX STRIPPING, PROGRAM, V14, PP. 130-137	56

Ying Ding

16	STUDER, R. (1998), KNOWLEDGE ENGINEERING: PRINCIPLES AND METHODS, DATA AND KNOWLEDGE ENGINEERING, V25, PP. 161-197	74	COHEN, P.R. (1990), INTENTION IS CHOICE WITH COMMITMENT, ARTIFICIAL INTELLIGENCE, V42, PP. 213-261	23	DEERWESTER, S.C. (1990), INDEXING BY LATENT SEMANTIC ANALYSIS, JOURNAL OF THE AMERICAN SOCIETY OF INFORMATION SCIENCE, V41, PP. 391-407	55
17	VANGELDER A (1991), THE WELL-FOUNDED SEMANTICS FOR GENERAL LOGIC PROGRAMS, J ASSOC COMPUT MACH, V38, P620	73	HENDLER J (2001), AGENTS AND THE SEMANTIC WEB, IEEE INTELL SYST APP, V16, P30-37	23	RESNIK, P. (1999), SEMANTIC SIMILARITY IN A TAXONOMY: AN INFORMATION-BASED MEASURE AND ITS APPLICATION TO PROBLEMS OF AMBIGUITY IN NATURAL LANGUAGE, JOURNAL OF ARTIFICIAL INTELLIGENCE RESEARCH, V11, PP. 95-130	54
18	HENDLER J (2001), AGENTS AND THE SEMANTIC WEB, IEEE INTELL SYST APP, V16, P30-37	72	MILNER, R. (1992), A CALCULUS OF MOBILE PROCESSES, INFORMATION AND COMPUTATION, V100, PP. 1-77	44	RAHM, E. (2001), A SURVEY OF APPROACHES TO AUTOMATIC SCHEMA MATCHING, VLDB JOURNAL, V10, PP. 334-350	54
19	LANDAUER, T.K. (1997), A SOLUTION TO PLATO'S PROBLEM: THE LATENT SEMANTIC ANALYSIS THEORY OF ACQUISITION, INDUCTION, AND REPRESENTATION OF KNOWLEDGE, PSYCHOLOGICAL REVIEW, V104, PP. 211-240	71	MILLER, G.A. (1995), WORDNET - A LEXICAL DATABASE FOR ENGLISH, COMMUNICATIONS OF THE ACM, V38, PP. 39-41	23	LANDAUER, T.K. (1997), A SOLUTION TO PLATO'S PROBLEM: THE LATENT SEMANTIC ANALYSIS THEORY OF ACQUISITION, INDUCTION, AND REPRESENTATION OF KNOWLEDGE, PSYCHOLOGICAL REVIEW, V104, PP. 211-240	51
20	HORROCKS I (2003), FROM SHIQ AND RDF TO OWL: THE MAKING OF A WEB ONTOLOGY LANGUAGE, J WEB SEMANT, V1, P7-26	70	MOGGI, E. (1991), NOTIONS OF COMPUTATION AND MONADS, INFORMATION AND COMPUTATION, V93, PP. 55-92	23	HENDLER J (2001), AGENTS AND THE SEMANTIC WEB, IEEE INTELL SYST APP, V16, P30-37	49

These top highly cited papers from WOS and Scopus can be grouped into different schools-of-thought:

- *Vision*: T. Berners-Lee's "The semantic web".
- *Ontology Engineering*: T. Gruber's "A translation approach to portable ontology specifications"; T. Gruber's "Toward principles for the design of ontologies used for knowledge sharing"; M. Uschold's "Ontologies: principles, methods and applications"; Y. Kalfoglou's "Ontology mapping: the state of the art" and R. Studer's "Knowledge engineering: Principles and methods".
- *Ontological Languages*: I. Horrocks' "From SHIQ and RDF to OWL".
- *Semantic Web Services*: S. McIlraith's "Semantic web services"; J. Hendler's "Agents and the semantic web" and H. Zhuge's "China's E-science knowledge grid environment".
- *Core Artificial Intelligence*: M. Gelfond's "The stable model semantics for logic programming"; A. van Gelder's "The well-founded semantics for general logic programs"; R. Reiter's "A logic for default reasoning"; R. Milner's "A calculus of mobile processes"; M. Gelfond's "Classical negation in logic programs and disjunctive databases"; M. Van Emden's "Semantics of predicate logic as a programming language"; K. Clark's "Negation as failure"; L. Zadeh's "Fuzzy sets"; J. Girard's "Linear logic"; C. Hoare's "An axiomatic basis for computer programming"; J. McCarthy's "Circumscription – A form of non-monotonic reasoning"; M. Kifer's "Logical foundations of object-oriented and frame-based languages"; R. Alur's "A theory of timed automata"; S. Kraus' "Non-monotonic reasoning, preferential models and cumulative logic"; J. Meseguer's "Conditional rewriting logic as a unified model of concurrency"; B. Jacobs' "A tutorial on (co)algebras and (co)induction"; P. Cohen's "Intention is choice with commitment"; E. Moggi's "Notions of computation and monads" and D. Harel's "Statecharts – A visual formalism for complex systems."

Ying Ding

- *Related fields:*
 - *Information Retrieval:* S. Deerwester’s “Indexing by latent semantic analysis”; A. Smeulders’ “Content-based image retrieval at the end of the early years”; T. Landauer’s “An introduction to latent semantic analysis” and A. Tversky’s “Features of similarity”.
 - *Database:* P. Chen’s “The entity-relational model”; G. Wiederhold’s “Mediators in the architecture of future information-systems” and E. Rahme’s A survey of approaches to automatic schema matching.
 - *Bioinformatics:* M. Ashburner’s “Gene ontology”.
 - *Natural Language Processing:* G. Miller’s “Wordnet-A lexical database for English”; M. Porter’s “An algorithm for suffix stripping” and P. Resnik’s “Semantic similarity in a taxonomy: An information-based measure and its application to problems of ambiguity in natural language”.
 - *Data/text Mining:* F. Sebastiani’s “Machine learning in automated text categorization” and A. Dempster’s “Maximum likelihood from incomplete data via EM algorithm”.

These highly cited papers in the related fields do not belong to semantic web area, but they are highly cited articles by the semantic web researchers. For example, S. Deerwester’s “Indexing by latent semantic analysis” is one of the best algorithms to derive topics therefore forms the fundamental methods for ontology learning. Similar for highly cited papers in database and mediator (as RDF triple stores are related to database), text mining and Natural Language Processing (as they are the major building blocks for ontology learning and mapping), and bioinformatics (as it is one of the leading areas which apply semantic web technologies and achieve appealing results).

5.3 New stars in the Semantic Web

Table 10 shows the top 20 authors with the highest increase of their citations from 2000-2004 to 2005-2009. In WOS, M. A. Harris (Gene Ontology-related research), T. Harris (design and implementation of programming languages) and L. Ding (Swoogle – Semantic Web Search Engine) are ranked as the top three authors with the highest increase of citations. Coming from Scopus, D. Roman (Semantic Web Services), J. De Bruijn (logic programming) and L. Ding (Swoogle) are ranked as top three for the significant increase in number of citations.

Table 10. New stars

R	Web of Science		Scopus	
	Name	Times of increase	Name	Times of increase
1	HARRIS MA	30.5	Roman, D.	72.5
2	HARRIS T	21.5	De Bruijn, J.	70
3	DING L	20.7	Ding, L.	43
4	MARCUS A	20.5	Harris, T.	37.5
5	ROMAN D	19	Rao, J.	36
6	CHEN YX	18.5	Carroll, J.J.	35
7	ANTONIOL G	17.5	Hollink, L.	34
8	HAASE P	16.8	Monay, F.	32
9	KNUBLAUCH H	16	Lara, R.	30.5
10	ALSHAHROUR F	15.3	Tang, J.	29
11	JEON J	15	Gu, T.	28.5
12	LIERLER Y	14	Haase, P.	27.6
13	LARA R	14	Bowers, S.	27.5
14	DONNELLY M	14	Gauch, S.	27.5

Ying Ding

15	PATWARDHAN S	14	Snoek, C.G.M.	27.25
16	PRUDHOMMEAUX E	13.6	Rosati, R.	26.7
17	MA YF	13	Pang, B.	26.5
18	PANTEL P	12.7	Prud'hommeaux, E.	26
19	WANG P	12.3	Ding, Z.	25.5
20	FU X, MAXIMILIEEN EM, VENNEKENS J	12	Akkiraju, R.	25

Notes: Times of increase = [(No. of being cited in 2005-2009)-(No. of being cited in 2000-2004)]/(No. of being cited in 2000-2004)

6. Conclusion

This paper conducted citation analysis for the field of Semantic Web covering 1960-2009. Papers and citations were collected from two major databases, Web of Science and Scopus. The productivity and impact of the Semantic Web community have been analyzed, notably within the last decade of development for the periods of 2000-2004 and 2005-2009. The major publication channels in the Semantic Web field are conference proceedings, especially those published by Springer as the series *Lecture Notes in Computer Sciences*. Major journals that publish Semantic Web papers are *Theoretical Computer Science*, *Bioinformatics*, *Data and Knowledge Engineering* and *IEEE Transactions on Knowledge and Data Engineering*. The most productive authors are T. Eiter, A. Brogi and H. Zhuge. J. J Jung is the newly emerging, very productive author in this field.

The research impact has been analyzed based on citation counting. In the whole period (1960-2009), R. Milner, M. Gelfond and C. A. R. Hoare are ranked as the top three authors. Sir Tim Berners-Lee is ranked fourth throughout the period. Scopus citation data allows the ranking of cited second or third authors. J. Hendler, S. Staab and H. Garcia-Molina are ranked as the top three highly cited second authors, while O. Lassila, F. van Harmelen and I. Horrocks are the top three highly cited third authors. In WOS, T. Gruber's ontology paper has been consistently highly cited and ranked top for all sub-periods. A. Van Gelder's theory proving paper is ranked two, and S. Deerwester's latent semantic analysis paper is ranked three. T. Berners-Lee, J. Hendler and O. Lassila's article about the vision of the Semantic Web, published in *Scientific American*, is ranked as the top second highly cited paper in 2005-2009, while in Scopus, Gruber's ontology paper and Berners-Lee's *Scientific American* papers are the top two highly cited papers in 1960-2009 and 2005-2009. In both WOS and Scopus, the highly cited journals and conferences are *Lecture Notes in Computer Science* or *Lecture Notes in Artificial Intelligence*, *Artificial Intelligence*, *Communication of the ACM* and *Theoretical Computer Science*. In WOS, M. A. Harris, T. Harris and L. Ding are ranked as the top three authors with the highest increase of citations, while from Scopus, D. Roman, J. De Bruijn and L. Ding are ranked as the top three for the significant increase in number of citations.

By comparing highly cited articles in 2000-2004 and 2005-2009, one can see the research shifting from core AI-related logic programming, logic reasoning and theory proving, to ontological languages (e.g., RDF, OWL), semantic data conversion and ontology mapping. One may therefore predict that within the next ten years, the following topics may become mainstreams in this field:

- *Creating, converting and enriching semantic data*: this mainstream effort is led by the Linked Open Data (LOD) Initiatives created by C. Bizer of Free University of Berlin, Germany. LOD bubbles will grow to an amazing degree, becoming the major showcase of Semantic Web technologies. LOD creates the test bed for semantic query, reasoning and service/data mashups. It demonstrates a powerful, simple, flexible and efficient approach to integrating heterogeneous datasets and triggers the industrial, governmental and academic adoption. In 2010-2020, the efforts might focus on the quality issue of the LOD data, scalability of managing and querying LOD data, and security on data and SPARQL query;
- *Mining semantic RDF/OWL graphs*: Semantic Web creates better technologies to represent and integrate data, while all these efforts should lead to the final goal: providing better search technologies. Since RDF

Ying Ding

data form graphs, the searching and retrieving of RDF data utilizes the current Google approach: PageRank or HITS, wherein the topologies of graphs play the major role in ranking nodes in the networks. RDF graphs contain more semantics than normal graphs in Google, as the links and nodes are instances of the ontologies. Various weighted, topic-sensitive or semantic-sensitive PageRank may therefore become a new research topic in the ranking of semantic nodes. Provenance data once again becomes meaningful, wherein datasets need to be integrated. This development traces different steps of data integration and enables provenance-based layered data analysis, query and visualization;

- *Simple reasoning*: Revolutionary breakthroughs should happen during the next few years as complex reasoning fails to scale up. Reasoning should be kept as simple as possible, scalable and error-tolerant. Relaxed or simplified logic may thus be invented to make this fly.
- *Benchmarking and evaluating ontologies*: Nowadays ontologies have been created nearly everywhere, as noted in the introduction – a necessary step for solving the information-deluge problem. There is a pressing need to create a benchmark or widely adopted framework to evaluate and test these ontologies. Notably during the process of generating ontologies, domain experts may have a handbook in hand to ensure right decisions on the modeling of their classes, properties or instances. Examples may be found from other communities, such as TREC in information retrieval;
- *Interfacing Semantic Web*: The next ten years should see to the creation of an innovative user-friendly interface to showcase the Semantic Web. Actually achieving goals of the Semantic Web is still currently impossible, as the search interface or SPARQL Endpoints for LOD datasets are not really targeted for normal users, and are instead accessible to SW gurus or hackers. To bring the Semantic Web out of the research lab and make its debut for normal users, a simple interface design is essential;
- *Utilizing social Web (Web2.0)*: The current social network fever in Web2.0 facilitates the generation of social semantic data, such as social tagging, commenting voting and recommending. These data identify existing relationships and create new ones, forming a “social power” that helps the LOD community snowball their datasets and introduce mashup powers of Semantic Web technologies. In the next ten years, we may predict that Web2.0 and the Semantic Web will be merged or interwoven in the manner that motivates normal Web2.0 users to contribute more social metadata, while Semantic Web should provide better technologies to mashup these data and further stimulate data generation. The difference between Web2.0 and Semantic Web will become blurred, as they finally merge to become the next generation Web – Web3.0 – which extends current Web2.0 applications using Semantic Web technologies and graph-based open data [26];
- *Embracing eScience and eGovernment*: In the next ten years, eScience and eGovernment will be the major adopters of Semantic Web technologies. The current trend toward data integration, interlinking and analysis within health sciences, biology, medicine, pharmaceuticals and chemistry will lead to new technologies such as bio2rdf, Linked Open Drug Data and YeastHub. Semantic publishing will create new norms for the next generation of publishing, where RDF triples will be asked to add to paper during the submission required by the publishers like the current authors are all familiar with adding keywords to their articles. Journal or conference papers are no long just pure “static strings”. They contain important RDF triples which are interlinked in the paper, with other related papers (e.g., citations), and outside related semantic datasets (e.g., LOD bubbles). The substantial funding secured from NIH for CTSA⁸ and research networking for life science indicates the confidence and uptake of the Semantic Web technologies from other major funding agents in the United States, including NSF. The recent groundbreaking news from the USA and UK that their governments are ready to use the potential of the

⁸ http://www.ncrr.nih.gov/clinical_research_resources/clinical_and_translational_science_awards/

Ying Ding

Semantic Web technologies to build their transparent eGovernment platform (Shadbolt, Hall & Berners-Lee, 2006). These, by no doubt, will create the tremendous momentum and broad social and societal impact on the Semantic Web. This momentum will radiate other fields which data integration is essential, such as environmental science to integrate data from hydrology, climatology, ecology, and oceanography [27].

The challenges to the Semantic Web may be as significant as its promises. As I. Horrocks mentioned in his recent article, “*The vision of a Semantic Web is extremely ambitious and would require solving many long-standing research problems in knowledge representation and reasoning, databases, computational linguistics, computer vision, and agent system.*” [8]. To carry on and further realize this vision, the Semantic Web community needs to work with researchers from related fields to establish the Semantic Web as the emerging interdisciplinary field – called “Web Science” – to view the World Wide Web as an important entity to be studied in its own right, and to understand its future as a computational structure and an interacting platform of people and machine [9].

Although there are twice as many Semantic Web papers in Scopus as those in WOS, the citation analysis for the field of Semantic Web does not show a significant difference between the two. For future research, we plan to use social network analysis to detect research groups or communities in this field. The use of self-citation also poses a new area of research that can be further extended to group self-citation or project self-citation in papers citing or cited by authors from the same research group or related projects. This may help identify the knowledge diffusion and transfer patterns in this field, as new and existing thinkers within this closely-knit community become necessarily self-referential.

References

- [1] T. Berners-Lee, J. Hendler and O. Lassila, The semantic web, *Scientific American* 284(5) (2001) 34-43.
- [2] PriceWaterhouseCoopers, *Report on Semantic Web* (2009). Available at: <http://ivan-herman.name/2009/06/01/pwc-report-on-semantic-web/> (accessed 19 September 2009).
- [3] D. Peterson, *Obama's groundbreaking use of the Semantic Web* (2009). Available at: <http://www.sitepoint.com/blogs/2009/03/19/obama-groundbreaking-use-semantic-web/> (accessed 19 September 2009).
- [4] Pingdom, *Web growth peaked in 2007 but might be back with a vengeance in 2009* (2009). Available at: <http://royal.pingdom.com/2009/05/07/web-growth-peaked-in-2007-but-might-be-back-with-a-vengeance-in-2009/> (accessed 19 September 2009).
- [5] N. Shadbolt, W. Hall and T. Berners-Lee, The semantic web revisited, *IEEE Intelligent Systems* 21(3) (2006) 96-101.
- [6] A. L. Barabasi, *Linked: the new science of networks* (Perseus Publishing, Cambridge, MA, USA, 2002)
- [7] C. Bizer, T. Heath and T. Berners-Lee, Linked data - The story so far, *International Journal on Semantic Web & Information Systems* 5(3) (2009) 1-22.
- [8] I. Horrocks, Ontologies and the Semantic Web, *Communications of the ACM* 51(12) (2008) 58-67.
- [9] J. Hendler, N. Shadbolt, W. Hall, T. Berners-Lee and T. Weitzner, Web Science: An interdisciplinary approach to understanding the web, *Communication of the ACM* 51(7) (2008) 60-69.
- [10] J. Hendler, Avoiding another AI winter, *IEEE Intelligent Systems* 23(2) (2008) 2-4.
- [11] V. Retzer and G. Jurasinski, Towards objectivity in research evaluation using bibliometric indicators: A protocol for incorporating complexity, *Basic And Applied Ecology* 10(5) (2009) 393-400.
- [12] H.F. Moed, *Citation Analysis in Research Evaluation* (Kluwer Academic Publishers, Dordrecht, 2005)

Ying Ding

- [13] P. Riikonen and M. Vihinen, National research contributions: A case study on Finnish biomedical research, *Scientometrics* 77(2) (2008) 207-222.
- [14] H. D. White and K. W. McCain, Visualizing a discipline: An author co-citation analysis of information science, 1972-1995, *Journal of the American Society for Information Science* 49(4) (1998) 327-355.
- [15] J. E. Hirsch, An index to quantify an individual's scientific research output, *Proceedings of the National Academy of Sciences* 102(46) (2005) 16569-16572.
- [16] A. A. Sorensen, Alzheimer's disease research: Scientific productivity and impact of the top 100 investigators in the field, *Journal of Alzheimers Disease* 16(3) (2009) 451-465.
- [17] M. E. J. Newman, The structure of scientific collaboration networks, *Proceedings of the National Academy of Science of the United States of America* 98(2) (2001) 404-409.
- [18] E. Yan and Y. Ding, Applying centrality measures to impact analysis: A coauthorship network analysis, *Journal of the American Society for Information Science and Technology* 60(10) (2009) 2107-2118.
- [19] Y. Ding, E. Yan, A. Frazho and J. Caverlee, PageRank for ranking authors in co-citation networks, *Journal of the American Society for Information Science and Technology* 60(11) (2009) 2229-2243.
- [20] C. P. Huang, Bibliometric analysis of obstructive sleep apnea research trends, *Journal of the Chinese Medical Association* 72(3) (2009) 117-123.
- [21] B. Thijs and W. Glanzel, A structural analysis of benchmarks on different bibliometrical indicators for European research institutes based on their research profile, *Scientometrics* 79(2) (2009) 377-388.
- [22] P. Mika, Flink: Semantic web technology for the extraction and analysis of social networks, *Journal of Web Semantics* 3(2) (2005) 211-223.
- [23] Mika, P., Elfring, T. & Groenewegen, P. (2006). Application of semantic technology for social network analysis in the sciences. *Scientometrics*, 68(1), 3-27.
- [24] D. Zhao and A. Strotmann, Information Science during the first decade of the web: An enriched author co-citation analysis, *Journal of the American Society for Information Science and Technology* 59(6) (2008) 916-937.
- [25] L. I. Meho and K. Yang, Impact of data sources on citation counts and rankings of LIS faculty: Web of Science vs. Scopus and Google Scholar, *Journal of the American Society for Information Science and Technology* 58(13) (2007) 2105-2125.
- [26] J. Hendler, Web 3.0 engineering, *IEEE Computer* 42(1) (2009) 111-113.
- [27] E. Ostrom, A general framework for analyzing sustainability of social-ecological systems, *Science* 325(5939) (2009) 419-422.